

Claims

1. Method for managing the memory content or a memory area of a data processing terminal (10) and/or of a communication terminal (11) or for presenting the memory content or a memory area on the user surface (1) of a data processing terminal (10) and/or of a communication terminal characterized in that the name or the title of at least one user data object (3) contained in a DRM file is shown directly on the user surface (1) of the data processing terminal (10) and/or of the communication terminal (11) together with the name or the title of the DRM file (2) and/or, if present, with the name or the title of other files (4), for example picture, audio or text files.

2. Method in accordance with claim 1, characterized in that the method has the following steps:

Opening the DRM file (2) and reading out basic parameters (5), for example name, type, size, etc., of the at least one user data object;

Displaying at least one of the parameters (5) of the user data object (3) previously read out instead of or in addition to corresponding parameters (5), such as name, type, size, etc., of the DRM file (2) on the user surface (1) of the data processing terminal (10) and/or of the communication terminal (11).

3. Method in accordance with claim 2, characterized in that in a further step, usage rights (6)

of the at least one user data object (3) are sought, evaluated

and presented in combination with at least the name/title and possibly with the remaining parameters (5) of the corresponding DRM file (2) or of the corresponding user data object (3) on the user surface (1) of the data processing terminal (10) and/or of the communication terminal (11).

4. Method according to one of the previous claims, characterized in that the parameters (5), especially the name/title of the DRM file (2) and/or the parameters (5), especially the name/title of the at least one user data object (3) are differentiated from the parameters (5) of other files (4) by a special display, for example by an additional symbol, by an symbol modified from the usual symbolic representation of the parameters (5) of a file or of a user data object or by changing the display color, brightness or structure.

5. Method according to one of the previous claims, characterized in that a number of user data objects (3) of a DRM file (2) are shown separately as independent objects.

6. Method according to one of the previous claims, characterized in that a number of user data objects (3) of a DRM file (2) or the parameters (5) of a number of user data objects (3) of a DRM file (2) are represented by a graphical component (7), for example a bracket or a frame around the user data objects (3) of a DRM file (2) or around the parameters (5) of a number of user data objects of a DRM file (2) and/or a common display color, brightness or structure.

7. Method according to one of the previous claims, characterized in that the at least one user data object (3) is presented as a

subfolder of a DRM folder, for example in the form of a tree structure.

8. Method according to one of the previous claims, characterized in that an application for managing the usage rights (6) belonging to a user data object (3) is integrated into the application for presentation of the memory content or of a memory area on the user surface (1) of a data processing terminal (10) and/or of a communication terminal (11).

9. Method in accordance with claim 8, characterized in that on activation of a user data object (3) the existing usage rights (6) are checked and, with a positive result, the user data object (3) is encrypted and transferred to the corresponding application for usage of the user data object (3) or, with a negative result, the usage of the user data object (3) is prevented.

10. Method in accordance with one of the previous claims 2 to 9, characterized in that, as further property parameter of the user data object (3) it is shown whether usage rights (6) are present for a user data object (3) or not, and/or what the type or the extent of these usage rights (6) is.

11. Method in accordance with claim 10, characterized in that different types of usage right (6) are represented by corresponding different graphical and/or textual representations.

12. Telecommunications arrangement (9), comprising at least one data processing terminal (10) and/or a communication

terminal (11), which is arranged for executing a method in accordance with one of the previous claims 1 to 11.